## THE CLASSIC 18-0-6

With SLOW RELEASE NITROGEN

# CROVIIII BEROLUS

THE LIQUID SOLUTIONS COMPANY

PROFESSIONAL LIQUID FERTILIZERS & MICRONUTRIENTS

Foliar and Soil Application
Four Micronutrients
No Chlorides

**BAR CODE** 

### THE CLASSIC 18-0-6



OPEN
Resealable Label
for Directions &
Precautions

#### **GUARANTEED ANALYSIS:**

Total Nitrogen (N)
7.9% Ürea Nitrogen
1.1% Ammoniacal Nitrogen
9.0% Water Soluble Nitrogen*
Soluble Potash (K <sub>2</sub> O)
Copper (Cu)
0.05% Chelated Copper (Cu)
Iron (Fe)
0.1% Chelated Iron (Fe)
Manganese (Mn)
0.05% Chelated Manganese (Mn)
Zinc (Zn)
0.05% Chelated Zinc (Zn)
Derived From: Urea, Urea-Triazone Solution, Potassium Carbonate, Copper EDTA, Iron
*00/ slavdy gyailable Nitragen from Hrag Triggone Solution

Derived From<mark>: Urea, U</mark>rea-Triazone So<mark>lutio</mark>n, Pot<mark>assium Car</mark>bonate, Copper EDTA, Iron EDTA, Manganese EDTA, Zinc EDTA. \*9% slowly <mark>available Nitr</mark>ogen from Urea-Triazone Solution

#### TECHNICAL DATA

Weight per gallon
Weight per liter
pH11.6
1 gallon contains
Potential acidity equivalent to 573 lbs. Calcium Carbonate per ton.

FIRST AID	
IF SWALLOWED:	Call a poison center or doctor if you feel unwell: Rinse mouth.
IF IN EYES:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
IF UN SKIN:	Rem <mark>ove contaminated clothing and</mark> wash skin with plenty of soap a <mark>nd water. If skin irritation occurs</mark> , get medical advice/attention.
	Call a poison center or doctor if you feel unwell.

You may also contact 1-800-992-5994 day or night for emergency treatment information. If medical advice is needed, have product container or label at hand (P101), Keep out of reach of children (P102), Read label before use (P103).

STORAGE: Keep container tightly closed. May be stored in unheated area, but keep from freezing. Store in areas inaccessible to children and pets.

DISPOSAL: Dispose of contents/container in accordance with local/regional/national/international regulations. Do not reuse container.

The following precautionary statements and pictograms are based on The Globally harmonized System of Classifications and Labeling of Chemicals (GHS) and are mandated by the Occupational Safety and Health Administration (OSHA)



### WARNING

H316 Causes Mild Skin Irritation H320 Causes Eye Irritation

H335 May Cause Respiratory Irritation

#### Another quality product from: Growth Products, Ltd.

21417 County Rd - 1950 E Princeton, IL 61356 USA Questions? Call (800) 648-7626

www.arowthproducts.com • auestions@arowthproducts.com

www.growinproducis.com • questions@growinproducis.com

Condition of Sale and Warranty: Growth Products, Ltd warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. Handling, storage and use of the product by Buyer or User are beyond the control of Growth Products and Seller. Risks such as crop injury or other unintended consequences resulting from, but not limited to, weather or soil conditions, presence of other materials, disease, pests, drift to other crops or property, or failure to follow label directions will be assumed by Buyer or User. IN NO CASE WILL GROWTH PRODUCTS, LTD OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING. STORAGE OR USE OF THIS PRODUCT

Foliar Turf Applications		
Application	Rate per 1,000 ft² (100 m²)	Frequency
Tees & Greens	7 - 8 fl oz (214 - 267 ml)	Every 7-14 days
Fairways, Roughs, Sports Turf & Sod	17 - 20 fl oz (535 - 642 ml)	Apply every 21 - 28 days
Lawn Care	10 - 20 fl oz (318-637 ml)	Apply every 6-8 weeks

Turf: 18-3-6 Solution in 100 Gallons of Tank Mix			
If You Apply	1/10 lb. N	1/8 lb. N	1/4 lb. N
4 gal. per 1,000 square feet	1.3 gal.	1.6 gal	3.3 gal.
3 gal. per 1,000 square feet	1.75 gal.	2.2 gal.	4.4 gal.
2 gal. per 1,000 square feet	2.6 gal.	3.3 gal.	6.6 gal.
1 gal. per 1,000 square feet	5.25 gal.	6.6 gal.	13 gal.

Turf Applications: 18-3-6 Nitrogen Per Liquid Ounce (ml)			
18-3-6	Nitrogen Rate	Application Timing	
7 oz (214 ml)	1/10 lb. N (50 g N)	Weekly release rate	
8 oz (267 ml)	1/8 lb. N (60 g N)	2 weeks release rate	
17 oz (535 ml)	1/4 lb. N (120 g N)	4 weeks release rate	
20 oz (642 ml)	1/3 lb. N (146 g N)	6 weeks release rate	
34 oz (1 L)	1/2 lb. N (244 g N)	8 weeks release rate	
Apply at desired Nitrogen Rate per 1,000 FT2 (100 m2)			

Tree Care DBH Method		
Lb. Nitrogen per Inch DBH	18-3-6 per 100 Gal of Water	
1/18	73 ounces	
1/12	110 ounces	
1/6	1.75 gallon	
Apply 5 gallons of tank mix per inch diameter. Always measure diameter at 4 1/2 feet above ground level		

Tree Care: Application Rate at 75 Gallons per 1,000 FT2			
Tank Size in Gallons	Quantity 18-3-6		
lank Size in Gallons	1/2 lb N	1 lb N	2 lb N
75	.25 gal	.5 gal	1 gal
100	.3 gal	.6 gal	1.3 gal
150	.5 gal	1 gal	2 gal
200	.6 gal	1.3 gal	2.6 gal
300	1 gal	2 gal	4 gal
1000	3.5 gal	7 gal	14 gal

For ground area method, measure below drip line. Rates of 1/2-2 lbs of nitrogen. Evergreens require higher nitrogen than deciduous trees

